

Cornford Hellcat Combo/Head 35W

252V

10k

Rd

265V

10k

Rd

287V

220k

68k

68k

1M

120V

0,89V

1,5k

2,2n Murata 1kV

680k

100p*

235k log

CH 1

V1

191V

1,6V

2,7k

100k

4,7n Murata 1kV

33k

220k

SR3 A

SR3 B

201V

1,67V

2,7k

100k

22n Philips MKT

470k

470k

RR ker. 1kV

220p

220k

165V

1,46V

3,3k

68k

100n

239K lin

235K log

33n

Philips MKT

24,8k lin

B1k

REV

FX

*RR ker. 1kV

Elko Nichicon

Kone>I MKT 400V

Cornford Hellcat Combo / Head
Blatt 1

from
TREBLE
WIPER

FX

from
TREBLE
WIPER

REV

Philips MKT

22n

Grn

Yel

1M

22k

1,5k

100k

47k

0,1u*

SEND

RETURN

220k

33n Philips MKT

100k

470k

22k

**RR ker. 1kV

CH1

MV

SR3

E

PI

SR3

D

*Kone>I MKT
400V

REV SPRING

Vio

Rd

Blk

Org

V5

Shd

Yel

2,23V

1k5

2μ2

Elko
Nichicon

2,2n
Murata 1kV

330k

Grn

Blu

4n7

Murata 1kV

REV VOL

WIPER

267V

Yel

129V

1,34V

3k3

2μ2

Elko
Nichicon

2nd Tip Footswitch Jack/
Shunt to ground

Cornford Hellcat Combo / Head
Blatt 2



